

Ongenieux®

Type EZ Series

with







One lens

Created to address current industry requirements, the Angenieux Type EZ series of lenses features an innovative modular lens design* that combines the front zoom/focusing units to dedicated rear groups, which are customised for different image circle sizes. Users can easily change between PL, Canon EF and Sony E mounts.

Travel light with this set of versatile and future proof lenses that works with multiple cameras.

Cine-style Build and Quality

135

The Type EZ lenses are designed for full manual operation, with sufficient rotation angles to creatively and precisely control focus, zoom and iris. The lens barrel is constructed from high-precision, light weight metal for greater durability. With an incredibly fast T-stop and large image coverage, the Type EZ lenses are extremely light weight, suitable for hand-held operation.

With industry-standard 0.8 gear teeth on all three rings, they are compatible with common lens motors and follow focus units. Despite its speed, the lens' front diameter is kept at 114mm to allow sharing of matte boxes with industry-standard compact OPTIMO zoom lenses. They are also built to compensate for temperature drifts, minimising the need to recalibrate the flange back distance.

EZ! with Ongenieux®

S35 T2 and larger image formats

Speed

When configured for S35 cameras, the Type EZ lenses, at F1.9/T2, are among the fastest in the industry. They cover an image circle size of up to 30mm diagonal for cameras recording in HDTV/UDTV modes and APS-C format DSLRs. The large format rear group also converts them into F2.8/T3 lenses, covering an image circle of up to 46mm diagonal.

Larger Formats

The lenses perfectly match full-frame sensor DSLRs, RED 8k sensors, ARRI Open gate and future cameras with larger image circles. In S35 cameras, the large format rear group also functions as a 1.5x extender, turning 30-90mm T2 lenses into 45-135mm T3 ones.

No Crop Factors

The 22mm/T3 wide-angle end for large format cameras converts the lenses into a 15mm/T2 for S35 cameras, maintaining a similar field of view with extra gain in T-stop.

The Type EZ lenses are available in an S35 mm version or as a S35 & FF/VistaVision package.

Ongenieux Type EZ-1 (Standard)

Specifications

| lmaging coverage |
|-------------------------|
| Zoom ratio |
| Focal length |
| Aperture |
| MOD |
| Reference image size |
| Horizontal angular FOV |
| Vertical angular FOV |
| FOV at MOD at focal min |
| FOV at MOD at focal max |
| Front diameter |
| Length |
| Weight |

| \$35-3 perf | FF/VistaVision |
|----------------|----------------|
| Up to 30 | Up to 46 |
| 3x | 3x |
| 30 - 90 mm | 45 - 135 mm |
| f/1.9 - T2.0 | f/2.8 - T3.0 |
| 2ft - 0.6m | 2ft - 0.6m |
| 24 x 13.5 | 37.7 x 24.9 |
| 43.6° - 15.2° | 45.6° - 15.9° |
| 25.1° - 8.8° | 30.8° - 10.7° |
| 334 x 184 mm | 351 x 228 mm |
| 110 x 63 mm | 115 x 77 mm |
| 114 mm | 114 mm |
| 226 mm | 226 mm |
| 4.7lb - 2.15kg | 4.5lb - 2.05kg |



STANDARD S35 REAR GROUP



STANDARD LARGE FORMAT REAR GROUP



ACCESSORIES

TV-Style zoom grip

An optional hand-hold style zoom grip can be attached to the EZ lens series. Supplied with a traditional zoom see-saw switch and camera start/stop button, the zoom grip configures the EZ lens series into a traditional ENG style camera package.



Interchangeable lens mount

The EZ lens series are supplied with a universal lens mount thread, allowing the lenses to be configured to PL, Sony-E, or Canon EF mounts. All lenses are supplied with one PL lens mount ring, and additional lens mount rings can be purchased separately when needed.



Ongenieux Type EZ-2 (Wide)

S35-3 perf

Specifications

| Imaging coverage | Up to 30 |
|-------------------------|----------------|
| Zoom ratio | 2.7x |
| Focal length | 15 - 40 mm |
| Aperture | f/1.9 - T2.0 |
| MOD | 2ft - 0.6m |
| Reference image size | 24 x 13.5 |
| Horizontal angular FOV | 77.6° - 33.7° |
| Vertical angular FOV | 44.5° - 19.6° |
| FOV at MOD at focal min | 628 x 342 mm |
| FOV at MOD at focal max | 235 x 134 mm |
| Front diameter | 114 mm |
| Length | 210 mm |
| Weight | 4.7lb - 2.12kg |
| | |

FF/VistaVision Up to 46 2.7x 22 - 60 mm f/2.8 - T3.0 2ft - 0.6m 37.7 x 24.9 80.2° - 35° 57.4° - 24° 658 x 426 mm 245 x 165 mm





114 mm

210 mm

4.6lb - 2.07kg

WIDE \$35 REAR GROUP



WIDE LARGE FORMAT REAR GROUP

For more information on the Angénieux Type EZ Series, please contact

EUROPE/AFRICAS/EURASIA/MIDDLE EAST

- THALES ANGENIEUX

Boulevard Ravel de Malval

42570 Saint-Héand - FRANCE

Phone: +33 (0)4 77 90 78 00

Email: angenieux@fr.thalesgroup.com

https://www.angenieux.com

AMFRICAS

- BANDPRO Film&Digital Burbank 3403 West Pacific avenue

Burbank, CA 91505

Phone: +1 818 841 9655 / 1-888-BAND-PRO

Email:sales@bandpro.com http://www.bandpro.com

ASIA PACIFIC

- JEBSEN Hong-Kong

30/F, Lee Gardens Two, 28 Yun Ping Road,

Causeway Bay, Hong Kong Phone: +825 2926 2350

Email: jcinecast@jebsen.com http://www.jcinecast.com











