



Professional Support

Experience the famous Sachtler quality and dependability with Ace.

Professional is now accessible – discover your perfect Ace tripod system and realise your ideas.

Sachtler Ace - Broadcast feel for everyone!

"Ace is a dependable tripod system for daily use."

Luke Thomas, DP, L



"I often find myself filming in situations where my gear is exposed to snow, dirt, and water. I've found the Ace XL holds up against the elements and performs where other brands can't."

- Susan Theis, Filmmaker / Photographer

Patented SA-drag™ Technology

The unique technology of the Ace fluid head SA-drag[™] (Synchronised Actuated Drag) system guarantees constant and consistently repeatable drag. Simply turn the pan or tilt drag knob to increase or decrease the drag and precision-engineered drag segments inside the head engage or disengage to provide the perfect amount. SA-drag[™] delivers levels of control, smoothness, and reliability that you will immediately feel to guarantee that winning shot.



Pictures may show optional accessories, s. Systems Specifications.

Top Performance

Our entry level system with the fluid head Ace M is ideally suited for small camcorders, mirrorless and HD-DSLR cameras. With a payload range of 0 to 4 kg (0 to 8.8 lbs), a 5-step counterbalance and patented SA-dragTM, the Ace tripod system enables a genuine Sachtler broadcast feel. With a payload of up to 8 kg (17.6 lbs), an 8-step counterbalance, and extremely lightweight carbonfiber tripods with high torsional stiffness, the lightest of Sachtler's tripod systems, the Ace XL tripod systems are multipurpose in their class.

Genuine Sachtler broadcast feel with Sachtler Ace:

- New patented SA-dragTM mechanism for smooth drag feeling
- Long sliding range of camera plate
- Parking position for spare camera screws
- Glass fiber reinforced composite fluid head
- Scale on camera platform
- Multiple counterbalance steps for precise balancing



Ease of use

We know there is no need for unnecessary complication. With all Ace systems, you'll find the controls located exactly where you need them. This intuitive design gives you a decisive advantage when you are working. Sachtler Ace systems are lightweight and easy to transport — thanks to the fiberglass-reinforced composite 75-mm heads.

Ace XL systems with carbon fibre tripods weigh just 3.9 kilograms (8.6 lbs) and feature an illuminated level bubble for more convenient operation.

l love how quickly I'm able to se up a shot and I never feel like I'm holding the talent bacl

- Susan Theis, Filmmaker / Photographer





Total confidence

The Ace fluid head has been designed and manufactured with the same care and attention as all Sachtler fluid heads, incorporating the key Sachtler attributes of quality and reliability. You can depend on Ace tripod systems to give you the best-in-class performance with a premium broadcast feel.

The perfect camera support for every videographer who needs lightweight, compact equipment without compromising on quality and handling.



QCE_M

Using a smaller camera doesn't mean you have to compromise on performance. Whether you are shooting documentaries, weddings or corporate videos with your DSLR or smaller camera, the Sachtler Ace M Fluid Head gives you broadcast-quality performance.

Payload

Weight

(incl. pan bar, bowl clamp and camera plate)

Counterbalance

Dra

Temperature Range

Tilt Range
Camera plate

Camera screws

Spare screws

Sliding range

Camera platform

Camera plane

Pan bar

Levelin

0 - 4 kg / 0 - 8.8 lbs

1.7 ka / 3.7 lbs

5 steps + 0

3 steps vertical and 3 horizontal, +0

-30° to +60° C / -22° to +140° F

+90° to -75°

Ace plate (slide in)

1/4", Pin

NS 1/4", 3/8"

104 mm / 4.1 in

with scale

1, fixed, Type Ace

level bubble



QCE_{XL}

Professional performance means maximum stability and jerk-free camera movement, even when supporting heavier digital cine-style cameras and rigs.

Pauload

Weig

(incl. pan bar, bowl clamp and camera plate)

Counterbalance

Drac

Temperature Range

Tilt Range

Camera plate

Camera screws

Spare screws
Sliding range

Camera platform

Pan bar

Level

2-8 kg / 4.4-17.6 lbs

1.7 kg / 3.7 lbs

8 steps

3 steps vertical and 3 horizontal, + 0

-30° to +60°C / -22° to +140°F

+90° to -75°

Ace plate (slide in)

1/4", Pin

1/4", 3 /8"

104 mm / 4.1 in

with scale

1, fixed, Type Ace

illuminated bubble



System Specifications



System Specifications





Ace XL flowtech

The system with the fastest tripod for ultimate versatility

Ace XL flowtech system combines a lightweight fluid head with the world's fastest tripod.

With its unique quick release brakes the tripod is deployed in an instant and easily adjusted to different height setups during shooting.

Using a hinge lock mechanism it covers a wide range of shots, from extremely low to high.

Exceptional torsional stiffness ensures that the tripod doesn't twist during panning movements. And magnetic locks and carry handle make the system easy to transport.

These features make the Ace XL flowtech system the premium solution in the Ace range.

flowtech®

sachtler.com/flowtech

